





# EXTERNAL CHIPBREAKERS

517-1035




	Order #	Used with	L	T	H	Coolant
INCH	517-1035	8RD Set (Universal)	.630	.133	.460	Yes
METRIC			16.0	3.38	11.68	Yes

517-1040




	Order #	Used with	L	T	H	Coolant
INCH	517-1040	8RD Set (Universal)	.630	.133	.460	No
METRIC			16.0	3.38	11.68	No

517-1045




	Order #	Used with	L	T	H	Coolant
INCH	517-1045	8RD Set (Universal)	.630	.175	.460	Yes
METRIC			16.0	4.44	11.68	Yes

517-1145 (ECB-8RD)



	Order #	Used with	L	T	H	Coolant
INCH	517-1145	8RD Set (Universal)	.630	.175	.460	No
METRIC			16.0	4.44	11.68	No


8RD SET  
517-1150/517-1160/517-1170



	Order #	Used with	L	A	T	H	Coolant
INCH	517-1150	8RD Set #1	.630	.304	.175	.522	No
METRIC			16.0	7.72	4.44	13.26	No
INCH	517-1160	8RD Set #2	.630	.263	.175	.511	No
METRIC			16.0	6.68	4.44	12.98	No
INCH	517-1170	8RD Set #3	.630	.221	.175	.525	No
METRIC			16.0	5.61	4.44	13.33	No


# EXTERNAL CHIPBREAKERS

## 8RD SET – COOLANT GROOVE 517-1155/517-1165/517-1175




	Order #	Used with	L	A	T	H	Coolant
INCH	517-1155	8RD Set #1	.630	.304	.175	.522	Yes
METRIC			16.0	7.72	4.44	13.26	Yes
INCH	517-1165	8RD Set #2	.630	.263	.175	.511	Yes
METRIC			16.0	6.68	4.44	12.98	Yes
INCH	517-1175	8RD Set #3	.630	.221	.175	.525	Yes
METRIC			16.0	5.61	4.44	13.33	Yes

## 517-1166




	Order #	Used with	L	A	T	H	Coolant
INCH	517-1166	8RD Set #2, Special Height	.630	.263	.175	.545	Yes
METRIC			16.0	6.68	4.44	13.84	Yes

## 10RD SET 517-1200/517-1210/517-1220



	Order #	Used with	L	T	H	Coolant
INCH	517-1200	10RD Set #1	.630	.175	.514	Yes
METRIC			16.0	4.45	13.06	Yes
INCH	517-1210	10RD Set #2	.630	.175	.522	Yes
METRIC			16.0	4.45	13.26	Yes
INCH	517-1220	10RD Set #3	.630	.175	.527	Yes
METRIC			16.0	4.45	13.39	Yes

## 517-1520



	Order #	Used with	L	T	H	Coolant
INCH	517-1520	10RD Set (Universal)	.630	.175	.500	Yes
METRIC			16.0	4.44	12.70	Yes

## 517-2015




	Order #	Used with	L	T	H	Coolant
INCH	517-2015	RT-7T-8RD	.984	.130	.521	No
METRIC			25.0	3.30	13.23	No




# EXTERNAL CHIPBREAKERS

**3/4-BUCA SET**  
517-8070/517-8080/517-8090




	Order #	Used with	L	T	H	Coolant
INCH	517-8070	3/4-BUCA Set #1	.653	.175	.509	No
METRIC			16.57	4.44	12.92	No
INCH	517-8080	3/4-BUCA Set #2	.653	.175	.514	No
METRIC			16.57	4.44	13.05	No
INCH	517-8090	3/4-BUCA Set #3	.653	.175	.517	No
METRIC			16.57	4.44	13.12	No

**3/4-BUCA SET – COOLANT GROOVE**  
517-8075/517-8085/517-8095




	Order #	Used with	L	T	H	Coolant
INCH	517-8075	3/4-BUCA Set #1	.653	.175	.509	Yes
METRIC			16.57	4.44	12.92	Yes
INCH	517-8085	3/4-BUCA Set #2	.653	.175	.514	Yes
METRIC			16.57	4.44	13.05	Yes
INCH	517-8095	3/4-BUCA Set #3	.653	.175	.517	Yes
METRIC			16.57	4.44	13.12	Yes

**3/4-BUCA SET  
EXTRA TALL W/COOLANT GROOVE**  
517-8073/517-8083/517-8093




	Order #	Used with	L	T	H	Coolant
INCH	517-8073	3/4-BUCA Set #1	.653	.175	.555	Yes
METRIC			16.57	4.44	14.10	Yes
INCH	517-8083	3/4-BUCA Set #2	.653	.175	.550	Yes
METRIC			16.57	4.44	13.97	Yes
INCH	517-8093	3/4-BUCA Set #3	.653	.175	.560	Yes
METRIC			16.57	4.44	14.22	Yes

**517-2610**



	Order #	Used with	L	T	H	Coolant
INCH	517-2610	3T-3/4 Buttress	.620	.125	.545	No
METRIC			15.75	3.18	13.97	No

**517-8050**




	Order #	Used with	L	T	H	Coolant
INCH	517-8050	Buttress Set (Universal)	.660	.175	.500	No
METRIC			16.76	4.44	12.70	No




# EXTERNAL CHIPBREAKERS

517-8055




	Order #	Used with	L	T	H	Coolant
INCH	517-8055	Buttress Set (Universal)	.660	.175	.500	Yes
METRIC			16.76	4.44	12.70	Yes

517-1050




	Order #	Used with	L	T	H	Coolant
INCH	517-1050	NC-3/4 Buttress	.800	.125	.455	No
METRIC			20.32	3.18	11.56	No

517-9040




	Order #	Used with	L	T	H	Coolant
INCH	517-9040	20mm Long Buttress	.787	.125	.492	Yes
METRIC			19.99	3.18	12.50	Yes

517-E5CG-CB




	Order #	Used with	L	T	H	Coolant
INCH	517-E5CG	25mm Buttress	.976	.125	.491	Yes
METRIC			24.79	3.18	12.47	Yes

517-2605




	Order #	Used with	L	T	H	Coolant
INCH	517-2605	25mm Long Inserts	.984	.157	.451	Yes
METRIC			24.99	3.99	11.46	Yes

517-9110



	Order #	Used with	L	T	H	Coolant
INCH	517-9110	25mm Long Inserts	.968	.159	.536	Yes
METRIC			24.59	4.04	13.60	Yes

517-1080




	Order #	Used with	L	T	H	Coolant
INCH	517-1080	25mm Long Inserts	.811	.125	.457	No
METRIC			20.60	3.18	11.61	No




## EXTERNAL CHIPBREAKERS

### 517-1060 – .174 THICK W/COOLANT GROOVE




	Order #	Used with	L	A	T	H	Coolant
INCH	517-1060	5/8 Sq. Inserts	.630	.265	.174	.495	Yes
METRIC			16.0	6.73	4.42	12.57	Yes

### 517-1600




	Order #	Used with	L	T	H	Coolant
INCH	517-1600	5/8 Sq. Inserts	.620	.157	.492	Yes
METRIC			15.75	3.99	12.50	Yes

### 517-1625 – .125 THICK W/COOLANT GROOVE




	Order #	Used with	L	T	H	Coolant
INCH	517-1625	5/8 Sq. Inserts	.620	.125	.492	Yes
METRIC			15.75	3.17	12.50	Yes

### 517-4430




	Order #	Used with	L	T	H	Coolant
INCH	517-4430	5/8 Sq. Single Tooth	.620	.125	.530	Yes
METRIC			15.75	3.17	13.46	Yes

### 517-5120 (2T-CB-CROCODILE)




	Order #	Used with	L	T	H	Coolant
INCH	517-5120	5/8 Sq. 2T-5P	.625	.125	.550	Yes
METRIC			15.88	3.18	13.97	Yes

### 517-5030



	Order #	Used with	L	T	H	Coolant
INCH	517-5030	1/2 Sq. Inserts	.500	.125	.430	No
METRIC			12.70	3.18	10.92	No

### 517-5025




	Order #	Used with	L	T	H	Coolant
INCH	517-5025	1/2 Sq. Inserts	.500	.120	.350	No
METRIC			12.70	3.05	8.89	No




# EXTERNAL CHIPBREAKERS

**517-3020**




	Order #	Used with	L	T	H	Coolant
INCH	517-3020	3T-3P-EXT	.984	.125	.550	Yes
METRIC			24.99	3.18	13.97	Yes

**517-2080**




	Order #	Used with	L	T	H	Coolant
INCH	517-2080	Water Well	.625	.125	.455	No
METRIC			15.88	3.18	11.56	No

**517-4040**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-4040	Water Well	.620	.250	.125	.437	No
METRIC			15.75	6.35	3.18	11.10	No

**517-5000 (5T-5P-EXT)**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-5000	5T-5P-EXT	.984	.095	.125	.545	Yes
METRIC			25.0	2.41	3.18	13.84	Yes

**517-4000 (4T-4P-EXT)**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-4000	4T-4P-EXT	.984	.1126	.125	.545	Yes
METRIC			25.0	2.86	3.18	13.84	Yes

**517-9027 (HYDRIL INTERNAL/EXTERNAL)**



	Order #	Used with	L	T	H	Coolant
INCH	517-9027	HYDRIL INT/EXT	.976	.125	.515	Yes
METRIC			24.79	3.18	13.08	Yes

**517-9043 (HYDRIL INTERNAL/EXTERNAL)**




	Order #	Used with	L	T	H	Coolant
INCH	517-9043	HYDRIL INT/EXT	1.365	.125	.520	Yes
METRIC			34.67	3.18	13.21	Yes




# EXTERNAL CHIPBREAKERS

517-7020 (TE2503675-EXT)




	Order #	Used with	L	T	H	Coolant
INCH	517-7020	Tenaris Hydril CS	.975	.125	.482	Yes
METRIC			24.77	3.18	12.24	Yes

517-7030 (TE2503675-EXT)




	Order #	Used with	L	T	H	Coolant
INCH	517-7030	Tenaris Hydril CS	.975	.125	.520	Yes
METRIC			24.77	3.18	13.22	Yes

517-2620 – Shown  
517-2625




	Order #	Used with	L	T	H	Coolant
INCH	517-2620	20mm #2 Buttress EXT	.780	.156	.512	Yes
	517-2625	20mm #1 Buttress EXT	.780	.156	.512	Yes
METRIC			19.81	3.96	13.0	Yes

517-2732




	Order #	Used with	L	T	H	Coolant
INCH	517-2732	25mm (5P & 10P-EXT)	.976	.156	.512	Yes
METRIC			24.79	3.96	13.0	Yes

517-2742



	Order #	Used with	L	T	H	Coolant
INCH	517-2742	25mm (4P & 8P-EXT)	.976	.156	.512	Yes
METRIC			24.79	3.96	13.0	Yes

517-3310




	Order #	Used with	L	T	H	Coolant
INCH	517-3310	16mm #1 CB-8RD-EXT	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes




# EXTERNAL CHIPBREAKERS

**517-3320**




	Order #	Used with	L	T	H	Coolant
INCH	517-3320	16mm #2 CB-8RD-EXT	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**517-3331**




	Order #	Used with	L	T	H	Coolant
INCH	517-3331	20mm #1 CB-8RD-EXT	.780	.156	.512	Yes
METRIC			19.81	3.96	13.0	Yes

**517-3332**




	Order #	Used with	L	T	H	Coolant
INCH	517-3332	20mm #2 CB-8RD-EXT	.780	.156	.512	Yes
METRIC			19.81	3.96	13.0	Yes

**517-3341**




	Order #	Used with	L	T	H	Coolant
INCH	517-3341	16mm #1 CB-10RD-EXT	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**517-3342**



	Order #	Used with	L	T	H	Coolant
INCH	517-3342	16mm #2 CB-10RD-EXT	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**17mm SET**  
517-3351/517-3352/517-3353




	Order #	Used with	L	T	H	Coolant
INCH	517-3351	17mm #1 Buttress Set-EXT	.667	.156	.501	Yes
METRIC			16.95	3.96	12.72	Yes
INCH	517-3352	17mm #2 Buttress Set-EXT	.667	.156	.505	Yes
METRIC			16.95	3.96	12.83	Yes
INCH	517-3353	17mm #3 Buttress Set-EXT	.667	.156	.510	Yes
METRIC			16.95	3.96	12.95	Yes






# INTERNAL CHIPBREAKERS

517-7025 (TE2503675-INT)




	Order #	Used with	L	T	H	Coolant
INCH	517-7025	Tenaris Hydril CS	.975	.125	.482	Yes
METRIC			24.77	3.18	12.24	Yes

517-7035 (TE2503675-INT)




	Order #	Used with	L	T	H	Coolant
INCH	517-7035	Tenaris Hydril CS	.975	.125	.520	Yes
METRIC			24.77	3.18	13.22	Yes

517-1180




	Order #	Used with	L	A	T	H	Coolant
INCH	517-1180	8RD Set (Universal)	.620	.256	.125	.418	Yes
METRIC			15.75	6.5	3.17	10.62	Yes

517-1185




	Order #	Used with	L	A	T	H	Coolant
INCH	517-1185	8RD Set (Universal)	.620	.256	.125	.418	No
METRIC			15.75	6.5	3.17	10.62	No

517-4010




	Order #	Used with	L	T	H	Coolant
INCH	517-4010	5/8 Sq. (Universal)	.620	.125	.458	Yes
METRIC			15.75	3.18	11.63	Yes

517-9050



	Order #	Used with	L	T	H	Coolant
INCH	517-9050	5/8 Sq. (Universal)	.620	.125	.452	Yes
METRIC			15.75	3.18	11.48	Yes

517-9055




	Order #	Used with	L	T	H	Coolant
INCH	517-9055	5/8 Sq. (Universal)	.620	.125	.512	Yes
METRIC			15.75	3.18	13.0	Yes




# INTERNAL CHIPBREAKERS

**517-5032**




	Order #	Used with	L	T	H	Coolant
INCH	517-5032	1/2 Sq. (Universal)	.500	.125	.400	No
METRIC			12.7	3.18	10.16	No

**517-2020**




	Order #	Used with	L	T	H	Coolant
INCH	517-2020	4T-8RD INT	.625	.125	.485	No
METRIC			15.88	3.18	12.32	No

**517-2635 – LEFT HAND PULLING**




	Order #	Used with	L	T	H	Coolant
INCH	517-2635	3/4 Buttress	.620	.125	.545	No
METRIC			15.75	3.18	13.84	No

**517-2650 – RIGHT HAND PUSHING**




	Order #	Used with	L	T	H	Coolant
INCH	517-2650	3/4 Buttress	.620	.125	.545	No
METRIC			15.75	3.18	13.84	No

**517-4030**




	Order #	Used with	L	T	H	Coolant
INCH	517-4030	Water Well	.625	.125	.477	No
METRIC			15.88	3.18	12.12	No

**517-4410**



	Order #	Used with	L	T	H	Coolant
INCH	517-4410	1T Chasers	.620	.125	.526	Yes
METRIC			15.75	3.17	13.36	Yes

**517-4420**




	Order #	Used with	L	T	H	Coolant
INCH	517-4420	1T Chasers	.620	.125	.530	Yes
METRIC			15.75	3.17	13.46	Yes




# INTERNAL CHIPBREAKERS

## 517-9071 – RIGHT HAND PUSHING




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9071	Right Hand Pushing	.615	.100	.125	.550	Yes
METRIC			15.62	2.54	3.18	13.97	Yes

## 517-9074 – LEFT HAND PULLING




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9074	Left Hand Pulling	.615	.100	.125	.550	Yes
METRIC			15.62	2.54	3.18	13.97	Yes

## 517-9072 – RIGHT HAND PUSHING




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9072	Right Hand Pushing	.615	.101	.125	.550	Yes
METRIC			15.62	2.57	3.18	13.97	Yes

## 517-9073 – LEFT HAND PULLING




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9073	Left Hand Pulling	.615	.101	.125	.550	Yes
METRIC			15.62	2.57	3.18	13.97	Yes

## 517-9085 – RIGHT HAND PUSHING



	Order #	Used with	L	A	T	H	Coolant
INCH	517-9085	Right Hand Pushing	.615	.100	.125	.584	Yes
METRIC			15.62	2.54	3.18	14.82	Yes

## 517-9087 – LEFT HAND PULLING




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9087	Left Hand Pulling	.615	.100	.125	.584	Yes
METRIC			15.62	2.54	3.18	14.82	Yes




# INTERNAL CHIPBREAKERS

**517-1955**




	Order #	Used with	L	T	H	Coolant
INCH	517-1955	7T-8RD INT	1.00	.131	.527	Yes
METRIC			25.53	3.31	13.39	Yes

**517-1960**




	Order #	Used with	L	T	H	Coolant
INCH	517-1960	7T-8RD INT	1.00	.131	.564	Yes
METRIC			25.53	3.31	14.33	Yes

**517-2010**




	Order #	Used with	L	T	H	Coolant
INCH	517-2010	7T-8RD INT	1.00	.130	.525	No
METRIC			25.40	3.30	13.34	No

**517-3030**




	Order #	Used with	L	T	H	Coolant
INCH	517-3030	7T-8RD INT	1.00	.125	.510	No
METRIC			25.40	3.18	12.95	No

**517-9020**




	Order #	Used with	L	T	H	Coolant
INCH	517-9020	5T-8RD & Buttress	.985	.125	.492	Yes
METRIC			25.02	3.18	12.5	Yes

**517-2645**



	Order #	Used with	L	T	H	Coolant
INCH	517-2645	5T-3/4 Buttress	.100	.128	.511	Yes
METRIC			25.40	3.25	12.98	Yes

**517-9000**




	Order #	Used with	L	T	H	Coolant
INCH	517-9000	5T-3/4 Buttress	1.000	.128	.555	Yes
METRIC			25.40	3.25	14.10	Yes




# INTERNAL CHIPBREAKERS

**517-9005**




	Order #	Used with	L	T	H	Coolant
INCH	517-9005	5T-3/4 Buttress	1.000	.125	.550	Yes
METRIC			25.40	3.18	13.97	Yes

**517-9030**




	Order #	Used with	L	T	H	Coolant
INCH	517-9030	5T-3/4 Buttress	.980	.125	.500	Yes
METRIC			24.89	3.18	12.70	Yes

**517-2642**




	Order #	Used with	L	T	H	Coolant
INCH	517-2642	5T-3/4 Buttress (12mm)	.975	.128	.472	Yes
METRIC			24.77	3.25	12.0	Yes

**517-2640**




	Order #	Used with	L	T	H	Coolant
INCH	517-2640	5T-3/4 Buttress (13mm)	.975	.128	.511	Yes
METRIC			24.77	3.25	13.0	Yes

**517-2644**




	Order #	Used with	L	T	H	Coolant
INCH	517-2644	5T-3/4 Buttress (14mm)	.975	.128	.551	Yes
METRIC			24.77	3.25	14.0	Yes

**517-9010**



	Order #	Used with	L	A	T	H	Coolant
INCH	517-9010	1T-4 Pch	.615	.146	.125	.550	Yes
METRIC			15.62	3.71	3.18	13.97	Yes

**517-9060 – PULLING**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9060	2T-4 Pch	.615	.111	.125	.550	Yes
METRIC			15.62	2.81	3.18	13.97	Yes




# INTERNAL CHIPBREAKERS

**517-9070**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9070	1T-5 Pch	.615	.111	.125	.550	Yes
METRIC			15.62	2.57	3.18	13.97	Yes

**517-9080 – PULLING**




	Order #	Used with	L	A	T	H	Coolant
INCH	517-9080	2T-5 Pch	.615	.100	.125	.550	Yes
METRIC			15.62	2.54	3.18	13.97	Yes

**517-2700**




	Order #	Used with	L	T	H	Coolant
INCH	517-2700	16mm (5P & 10P-INT)	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**517-2705**




	Order #	Used with	L	T	H	Coolant
INCH	517-2705	16mm (4P & 8P-INT)	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**517-2710 – PULLING**



	Order #	Used with	L	T	H	Coolant
INCH	517-2710	16mm (5P & 10P-INT – Pulling)	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes

**517-2715**




	Order #	Used with	L	T	H	Coolant
INCH	517-2715	16mm (522-5815I-INT)	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes




# INTERNAL CHIPBREAKERS

**517-2720**




	Order #	Used with	L	T	H	Coolant
INCH	517-2720	16mm Single Tooth Croc-INT	.618	.156	.551	Yes
METRIC			15.70	3.96	14.0	Yes

**517-2730 – PULLING**




	Order #	Used with	L	T	H	Coolant
INCH	517-2730	25mm (5P & 10P-INT – Pulling)	.976	.156	.500	Yes
METRIC			24.79	3.96	12.70	Yes

**517-2735**




	Order #	Used with	L	T	H	Coolant
INCH	517-2735	25mm (5P & 10P-INT)	.976	.156	.509	Yes
METRIC			24.79	3.96	12.93	Yes

**517-2740 – PULLING**




	Order #	Used with	L	T	H	Coolant
INCH	517-2740	25mm (4P & 8P-INT – Pulling)	.976	.156	.512	Yes
METRIC			24.79	3.96	13.0	Yes

**517-2745**




	Order #	Used with	L	T	H	Coolant
INCH	517-2745	25mm (4P & 8P-INT)	.976	.156	.508	Yes
METRIC			24.79	3.96	12.90	Yes

**517-2750**



	Order #	Used with	L	T	H	Coolant
INCH	517-2750	25mm (700-2410-INT)	.984	.156	.512	Yes
METRIC			24.99	3.96	13.0	Yes

**517-2760 – PULLING**



	Order #	Used with	L	T	H	Coolant
INCH	517-2760	16mm (4P & 8P-INT – Pulling)	.618	.156	.512	Yes
METRIC			15.70	3.96	13.0	Yes