




## 3TPI VAM BIG OMEGA EXTERNAL THREAD FORMS


616-5000 (TNMA-56-3P-VAM BIG OMEGA-EXT)  
616-5005 (TNMA-66-3P-VAM BIG OMEGA-EXT)



	Order #	Description	D	T
INCH	616-5000	TNMA-56-3P-VAM BIG OMEGA-EXT	.625	.375
METRIC			15.88	9.53
INCH	616-5005	TNMA-66-3P-VAM BIG OMEGA-EXT	.750	.375
METRIC			19.05	9.53


## 3TPI VAM BIG OMEGA INTERNAL THREAD FORMS

615-5000 (TNMA-56-3P-VAM BIG OMEGA-INT)



	Order #	Description	D	T
INCH	615-5000	TNMA-56-3P-VAM BIG OMEGA-INT	.625	.375
METRIC			15.88	9.53

646-1000 (2T-3P-VAM BIG OMEGA-INT)




	Order #	Description	T	H	Teeth
INCH	646-1000	2T-3P-VAM BIG OMEGA-INT	.250	.768	2
METRIC			6.35	19.5	2




## 4TPI VAM TOP EXTERNAL THREAD FORMS

616-1800 (TNMC-55-4P-VAM TOP-EXT) - *Shown*  
 616-1805 (TNMA-55-4P-VAM TOP-EXT)  
 616-1815 (TNMA-55-4P-VAM TOP-EXT) – VAM 065




	Order #	Description	D	T
INCH	616-1800	TNMC-55-4P-VAM TOP-EXT	.625	.313
	616-1805	TNMA-55-4P-VAM TOP-EXT	.625	.313
	616-1815	TNMA-55-4P-VAM TOP-EXT (VAM 065)	.625	.313
METRIC			15.88	7.94

616-1810 (TNMC-54FL-4P-VAM TOP-EXT) - *Shown*  
 636-4020 (TNMB-54FL-4P-VAM TOP-EXT)




	Order #	Description	D	T
INCH	616-1810	TNMC-54FL-4P-VAM TOP-EXT	.625	.250
	636-4020	TNMB-54FL-4P-VAM TOP-EXT	.625	.250
METRIC			15.88	6.35

656-4025 (CNMA-64-2T-4P-VAM TOP-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-4025	CNMA-64-2T-4P-VAM TOP-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-9015 (CNMA-64-3T-4P-VAM TOP-EXT)



	Order #	Description	D	T	Teeth
INCH	656-9015	CNMA-64-3T-4P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3

656-9020 (CNMA-64-2T-4P-VAM TOP-EXT)




	Order #	Description	D	T	Teeth
INCH	656-9020	CNMA-64-2T-4P-VAM TOP-EXT	.750	.250	2
METRIC			19.05	6.35	2




# 4TPI VAM TOP EXTERNAL THREAD FORMS

656-9025 (CNMA-64-3T-4P-VAM TOP-EXT) – ROUGHER • *Shown*  
 656-9027 (CNMA-54-2T-VAM TOP-EXT) – FINISHER




	Order #	Description	D	T	Teeth
INCH	656-9025	CNMA-64-3T-4P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3
INCH	656-9027	CNMA-54-2T-VAM TOP-EXT	.625	.250	2
METRIC			15.88	6.35	2

626-4000 (3T-4P-VAM TOP-EXT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-4000	3T-4P-VAM TOP-EXT	.789	.187	.585	3
METRIC			20.04	4.75	14.86	3

626-4005 (2T-4P-VAM TOP-EXT)




	Order #	Description	L	T	H	Teeth
INCH	626-4005	2T-4P-VAM TOP-EXT	.500	.187	.495	2
METRIC			12.7	4.75	12.57	2

626-4012 (2T-4P-VAM TOP-EXT) – ROUGHER



	Order #	Description	L	T	H	Teeth
INCH	626-4012	2T-4P-VAM TOP-EXT	.500	.187	.490	2
METRIC			12.7	4.75	12.45	2

626-4015 (1T-4P-VAM TOP-EXT) - *Shown*  
 626-4010 (1T-4P-VAM TOP-EXT)




	Order #	Description	L	T	H	Teeth
INCH	626-4015	1T-4P-VAM TOP-EXT	.625	.187	.625	1
METRIC			15.88	4.75	15.88	1
INCH	626-4010	1T-4P-VAM TOP-EXT	.500	.187	.495	1
METRIC			12.7	4.75	12.57	1




## 4TPI VAM TOP INTERNAL THREAD FORMS

615-1790 (TPMC-55-4P-VAM TOP-INT)  
 615-1795 (TPMA-55-4P-VAM TOP-INT)  
 615-1800 (TNMC-55-4P-VAM TOP-INT) – *Shown*  
 615-1805 (TNMA-55-4P-VAM TOP-INT) – VAM 056




	Order #	Description	D	T
INCH	615-1790	TPMC-55-4P-VAM TOP-INT	.625	.313
	615-1795	TPMA-55-4P-VAM TOP-INT	.625	.313
	615-1800	TNMC-55-4P-VAM TOP-INT	.625	.313
	615-1805	TNMA-55-4P-VAM TOP-INT	.625	.313
METRIC			15.88	7.94

615-1810 (TNMC-55-4P-VAM TOP-INT) – ROUGHER  
 615-1815 (TNMA-55-4P-VAM TOP-INT) – ROUGHER • *Shown*




	Order #	Description	D	T
INCH	615-1810	TNMC-55-4P-VAM TOP-INT	.625	.313
	615-1815	TNMA-55-4P-VAM TOP-INT	.625	.313
METRIC			15.88	7.94

625-4010 (1T-4P-VAM TOP-INT) – *Shown*  
 625-4015 (1T-4P-VAM TOP-INT)




	Order #	Description	L	T	H	Teeth
INCH	625-4010	1T-4P-VAM TOP-INT	.500	.187	.500	1
			METRIC	12.7	4.75	12.7
INCH	625-4015	1T-4P-VAM TOP-INT	.625	.187	.625	1
			METRIC	15.88	4.75	15.88

635-4020 (TNMB-54FL-4P-VAM TOP-INT) – FINISHER  
 635-4010 (TNMB-54FL-4P-VAM TOP-INT) – ROUGHER



	Order #	Description	D	T
INCH	635-4020	TNMB-54FL-4P-VAM TOP-INT	.625	.250
	635-4010	TNMB-54FL-4P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

625-4012 (2T-4P-VAM TOP-INT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	625-4012	2T-4P-VAM TOP-INT	.500	.187	.500	2
			METRIC	12.7	4.75	12.7




## 4TPI VAM TOP INTERNAL THREAD FORMS

635-4000 (TNMA-64FL-2T-4P-VAM TOP-INT) – ROUGHER



	Order #	Description	D	T
INCH	635-4000	TNMA-64FL-2T-4P-VAM TOP-INT	.750	.250
METRIC			19.05	6.35


635-4005 (TNMA-64FL-1T-4P-VAM TOP-INT)



	Order #	Description	D	T
INCH	635-4005	TNMA-64FL-1T-4P-VAM TOP-INT	.750	.250
METRIC			19.05	6.35


## 5TPI VAM TOP EXTERNAL THREAD FORMS

616-1400 (TNMC-54-5P-VAM TOP-EXT)  
 616-1405 (TNMA-54-5P-VAM TOP-EXT) – *Shown*  
 616-1410 (TPMC-54-5P-VAM TOP-EXT)  
 616-1415 (TNMA-54-5P-VAM TOP-EXT) – VAM 072




	Order #	Description	D	T
INCH	616-1400	TNMC-54-5P-VAM TOP-EXT	.625	.250
	616-1405	TNMA-54-5P-VAM TOP-EXT	.625	.250
	616-1410	TPMC-54-5P-VAM TOP-EXT	.625	.250
	616-1415	TNMA-54-5P-VAM TOP-EXT	.625	.250
METRIC			15.88	6.35

626-5080 (5T-5P-VAM TOP-EXT)



	Order #	Description	L	T	H	Teeth
INCH	626-5080	5T-5P-VAM TOP-EXT	.984	.197	.625	5
METRIC			25.0	5.0	15.88	5

656-9029 (CNMA-64-2T-5P-VAM TOP-EXT) – ROUGHER  
 656-9030 (CNMA-64-2T-5P-VAM TOP-EXT) – FINISHER • *Shown*




	Order #	Description	D	T	Teeth
INCH	656-9029	CNMA-64-2T-5P-VAM TOP-EXT	.750	.250	2
	656-9030	CNMA-64-2T-5P-VAM TOP-EXT	.750	.250	2
METRIC			19.05	6.35	2




## 5TPI VAM TOP EXTERNAL THREAD FORMS

656-9035 (CNMA-64-3T-5P-VAM TOP-EXT) – FINISHER • *Shown*  
 656-9037 (CNMA-64-3T-5P-VAM TOP-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-9035	CNMA-64-3T-5P-VAM TOP-EXT	.750	.250	3
	656-9037	CNMA-64-3T-5P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3

666-1000 (1T-5P-VAM TOP-EXT)




	Order #	Description	D	A	T	H
INCH	666-1000	1T-5P-VAM TOP-EXT	.375	.638	.255	.453
METRIC			9.53	16.21	6.46	11.51

626-5045 (2T-5P-VAM TOP-EXT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-5045	2T-5P-VAM TOP-EXT	.500	.187	.493	2
METRIC			12.7	4.75	12.52	2

636-5020 (TNMB-54FL-5P-VAM TOP-EXT)




	Order #	Description	D	T
INCH	636-5020	TNMB-54FL-5P-VAM TOP-EXT	.625	.250
METRIC			15.88	6.35

626-5050 (1T-5P-VAM TOP-EXT)



	Order #	Description	L	T	H	Teeth
INCH	626-5050	1T-5P-VAM TOP-EXT	.500	.187	.493	1
METRIC			12.7	4.75	12.52	1

626-5085 (4T-5P-VAM TOP-EXT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-5085	4T-5P-VAM TOP-EXT	.789	.187	.585	4
METRIC			20.04	4.75	14.86	4



## 5TPI VAM TOP EXTERNAL THREAD FORMS


626-5090 (2T-5P-VAM TOP-EXT)



	Order #	Description	L	T	H	Teeth
INCH	626-5090	2T-5P-VAM TOP-EXT	.500	.187	.493	2
METRIC			12.7	4.75	12.52	2


## 5TPI VAM TOP INTERNAL THREAD FORMS

626-5045 (2T-5P-VAM TOP-INT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-5045	2T-5P-VAM TOP-INT	.500	.187	.493	2
METRIC			12.7	4.75	12.52	2

615-1400 (TNMC-54-5P-VAM TOP-INT) - Shown  
 615-1405 (TNMA-54-5P-VAM TOP-INT)  
 615-9070 (TNMA-54-5P-VAM TOP-INT) – VAM 071




	Order #	Description	D	T
INCH	615-1400	TNMC-54-5P-VAM TOP-INT	.625	.250
	615-1405	TNMA-54-5P-VAM TOP-INT	.625	.250
	615-9070	TNMA-54-5P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

615-9075 (TPMA-54-5P-VAM TOP-INT) - Shown  
 615-1410 (TPMC-54-5P-VAM TOP-INT)




	Order #	Description	D	T
INCH	615-9075	TPMA-54-5P-VAM TOP-INT	.625	.250
	615-1410	TPMC-54-5P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

625-5010 (1T-5P-VAM TOP-INT)



	Order #	Description	L	T	H	Teeth
INCH	625-5010	1T-5P-VAM TOP-INT	.625	.187	.625	1
METRIC			15.88	4.75	15.88	1

625-5020 (2T-5P-VAM TOP-INT)




	Order #	Description	L	T	H	Teeth
INCH	625-5020	2T-5P-VAM TOP-INT	.625	.187	.625	2
METRIC			15.88	4.75	15.88	2




## 5TPI VAM TOP INTERNAL THREAD FORMS

625-5050 (1T-5P-VAM TOP-INT)




	Order #	Description	L	T	H	Teeth
INCH	625-5050	1T-5P-VAM TOP-INT	.500	.187	.493	1
METRIC			12.7	4.75	12.52	1

625-5080 (5T-5P-VAM TOP-INT)




	Order #	Description	L	T	H	Teeth
INCH	625-5080	5T-5P-VAM TOP-INT	.984	.197	.625	5
METRIC			25.0	5.0	15.88	5

635-1400 (TNMB-53FL-5P-VAM TOP-INT)




	Order #	Description	D	T
INCH	635-1400	TNMB-53FL-5P-VAM TOP-INT	.625	.188
METRIC			15.88	4.76

635-5020 (TNMB-54FL-5P-VAM TOP-INT) - Shown  
635-5025 (TNMC-54FL-5P-VAM TOP-INT)




	Order #	Description	D	T
INCH	635-5020	TNMB-54FL-5P-VAM TOP-INT	.625	.250
	635-5025	TNMC-54FL-5P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

635-9028 (TNMB-54FL-2T-5P-VAM TOP-INT) – ROUGHER



	Order #	Description	D	T
INCH	635-9028	TNMB-54FL-2T-5P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

655-9030 (CNMA-64-2T-5P-VAM TOP-INT)




	Order #	Description	D	T	Teeth
INCH	655-9030	CNMA-64-2T-5P-VAM TOP-INT	.750	.250	2
METRIC			19.05	6.35	2






## 5TPI VAM TOP INTERNAL THREAD FORMS

655-9028 (CNMA-64-2T-5P-VAM TOP-INT) – ROUGHER  
655-9029 (CNMA-64-2T-5P-VAM TOP-INT) – ROUGHER • VAM 410



	Order #	Description	D	T	Teeth
INCH	655-9028	CNMA-64-2T-5P-VAM TOP-INT	.750	.250	2
	655-9029	CNMA-64-2T-5P-VAM TOP-INT	.750	.250	2
METRIC			19.05	6.35	2


665-1000 (1T-5P-VAM TOP-INT)



	Order #	Description	D	A	T	H
INCH	665-1000	1T-5P-VAM TOP-INT	.375	.638	.255	.453
METRIC			9.53	16.21	6.46	11.51


## 6TPI VAM TOP EXTERNAL THREAD FORMS

616-2050 (TNMC-43-6P-VAM TOP-EXT)




	Order #	Description	D	T
INCH	616-2050	TNMC-43-6P-VAM TOP-EXT	.500	.188
METRIC			12.7	4.75

616-2060 (TNMC-54-6P-VAM TOP-EXT)  
616-2065 (TPMC-54-6P-VAM TOP-EXT)  
616-2070 (TNMA-54-6P-VAM TOP-EXT)



	Order #	Description	D	T
INCH	616-2060	TNMC-54-6P-VAM TOP-EXT	.625	.250
	616-2065	TPMC-54-6P-VAM TOP-EXT	.625	.250
	616-2070	TNMA-54-6P-VAM TOP-EXT	.625	.250
METRIC			15.88	6.35

626-5032 (2T-6P-VAM TOP-EXT)




	Order #	Description	L	T	H	Teeth
INCH	626-5032	2T-6P-VAM TOP-EXT	.500	.188	.493	2
METRIC			12.7	4.78	12.51	2




# 6TPI VAM TOP EXTERNAL THREAD FORMS

## 656-6030 (CNMA-64-3T-6P-VAM TOP-EXT) – VAM 271




	Order #	Description	D	T	Teeth
INCH	656-6030	CNMA-64-3T-6P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3

## 656-9070 (CNMA-54-3T-6P-VAM TOP-EXT) - Shown 656-9075 (CNMA-64-3T-6P-VAM TOP-EXT)




	Order #	Description	D	T	Teeth
INCH	656-9070	CNMA-54-3T-6P-VAM TOP-EXT	.625	.250	3
METRIC			15.88	6.35	3
INCH	656-9075	CNMA-64-3T-6P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3

## 656-6040 (CNMA-64-2T-6P-VAM TOP-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-6040	CNMA-64-2T-6P-VAM TOP-EXT	.750	.250	2
METRIC			19.05	6.35	2

## 626-5035 (3T-6P-VAM TOP-EXT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-5035	3T-6P-VAM TOP-EXT	.500	.188	.500	3
METRIC			12.7	4.78	12.7	3

## 656-6045 (CNMA-64-1T-6P-VAM TOP-EXT) – FINISHER




	Order #	Description	D	T	Teeth
INCH	656-6045	CNMA-64-1T-6P-VAM TOP-EXT	.750	.250	1
METRIC			19.05	6.35	1

## 656-6050 (CNMA-64-2T-6P-VAM TOP-EXT) – FINISHER



	Order #	Description	D	T	Teeth
INCH	656-6050	CNMA-64-2T-6P-VAM TOP-EXT	.750	.250	2
METRIC			19.05	6.35	2

## 656-9080 (CNMA-64-3T-6P-VAM TOP-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-9080	CNMA-64-3T-6P-VAM TOP-EXT	.750	.250	3
METRIC			19.05	6.35	3




## 6TPI VAM TOP INTERNAL THREAD FORMS

615-2350 (TNMC-43-6P-VAM TOP-INT)  
 615-2355 (TPMC-43-6P-VAM TOP-INT) - *Shown*  
 615-2065 (TPMC-54-6P-VAM TOP-INT)




	Order #	Description	D	T
INCH	615-2350	TNMC-43-6P-VAM TOP-INT	.500	.188
	615-2355	TPMC-43-6P-VAM TOP-INT	.500	.188
METRIC			12.7	4.76
INCH	615-2065	TPMC-54-6P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

615-2360 (TNMA-54-6P-VAM TOP-INT) - *Shown*  
 615-2362 (TNMC-54-6P-VAM TOP-INT)  
 615-2365 (TNMA-54-6P-VAM TOP-INT) – VAM 205




	Order #	Description	D	T
INCH	615-2360	TNMA-54-6P-VAM TOP-INT	.625	.250
	615-2362	TNMC-54-6P-VAM TOP-INT	.625	.250
	615-2365	TNMA-54-6P-VAM TOP-INT	.625	.250
METRIC			15.88	6.35

625-5032 (1T-6P-VAM TOP-INT)




	Order #	Description	L	T	H	Teeth
INCH	625-5032	1T-6P-VAM TOP-INT	.500	.188	.491	1
METRIC			12.7	4.78	12.46	1

655-6000 (CNGC-2T-6P-VAM TOP-INT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	655-6000	CNGC-2T-6P-VAM TOP-INT	.750	.250	2
METRIC			19.05	6.35	2

655-6010 (CNGC-1T-6P-VAM TOP-INT) – FINISHER




	Order #	Description	D	T	Teeth
INCH	655-6010	CNGC-1T-6P-VAM TOP-INT	.750	.250	1
METRIC			19.05	6.35	1



## 8TPI VAM TOP EXTERNAL THREAD FORMS


616-5020 (TNMC-43-8P-VAM TOP-EXT) - *Shown*  
 616-5025 (TPMC-43-8P-VAM TOP-EXT)  
 616-5015 (TNMA-54-8P-VAM TOP-EXT) – VAM 212



	Order #	Description	D	T
INCH	616-5020	TNMC-43-8P-VAM TOP-EXT	.500	.188
	616-5025	TPMC-43-8P-VAM TOP-EXT	.500	.188
METRIC			12.7	4.76
INCH	616-5015	TNMA-54-8P-VAM TOP-EXT	.625	.250
METRIC			15.88	6.35

## 8TPI VAM TOP INTERNAL THREAD FORMS


615-5020 (TNMC-43-8P-VAM TOP-INT) - *Shown*  
 615-5015 (TNMA-43-8P-VAM TOP-INT) – VAM 211



	Order #	Description	D	T
INCH	615-5020	TNMC-43-8P-VAM TOP-INT	.500	.188
	615-5015	TNMA-43-8P-VAM TOP-INT	.500	.188
METRIC			12.7	4.76


## 5TPI NEW VAM EXTERNAL THREAD FORMS

616-1250 (TNMC-54-5P-NEW VAM-EXT) - *Shown*  
 616-1255 (TNMA-54-5P-NEW VAM-EXT)



	Order #	Description	D	T
INCH	616-1250	TNMC-54-5P-NEW VAM-EXT	.625	.250
	616-1255	TNMA-54-5P-NEW VAM-EXT	.625	.250
METRIC			15.88	6.35

656-5320 (CNMA-64-2T-5P-NEW VAM-EXT)




	Order #	Description	D	T	Teeth
INCH	656-5320	CNMA-64-2T-5P-NEW VAM-EXT	.750	.250	2
METRIC			19.05	6.35	2




## 5TPI NEW VAM INTERNAL THREAD FORMS

615-1250 (TNMC-54-5P-NEW VAM-INT)  
 615-1255 (TNMA-54-5P-NEW VAM-INT)  
 615-1260 (TPMC-54-5P-NEW VAM-INT) - *Shown*



	Order #	Description	D	T
INCH	615-1250	TNMC-54-5P-NEW VAM-INT	.625	.250
	615-1255	TNMA-54-5P-NEW VAM-INT	.625	.250
	615-1260	TPMC-54-5P-NEW VAM-INT	.625	.250
METRIC			15.88	6.35


625-5090 (1T-5P-NEW VAM-INT)



	Order #	Description	L	T	H	Teeth
INCH	625-5090	1T-5P-NEW VAM-INT	.500	.187	.500	1
METRIC			12.7	4.75	12.7	1

## 6TPI NEW VAM EXTERNAL THREAD FORMS


616-1300 (TNMC-54-6P-NEW VAM-EXT) - *Shown*  
 616-1305 (TNMA-54-6P-NEW VAM-EXT)



	Order #	Description	D	T
INCH	616-1300	TNMC-54-6P-NEW VAM-EXT	.625	.250
	616-1305	TNMA-54-6P-NEW VAM-EXT	.625	.250
METRIC			15.88	6.35

## 6TPI NEW VAM INTERNAL THREAD FORMS

615-1300 (TNMC-54-6P-NEW VAM-INT)  
 615-1305 (TNMA-54-6P-NEW VAM-INT)  
 615-1310 (TPMC-43-6P-NEW VAM-INT) - *Shown*  
 615-1315 (TNMC-43-6P-NEW VAM-INT)




	Order #	Description	D	T
INCH	615-1300	TNMC-54-6P-NEW VAM-INT	.625	.250
	615-1305	TNMA-54-6P-NEW VAM-INT	.625	.250
METRIC			15.88	6.35
INCH	615-1310	TPMC-43-6P-NEW VAM-INT	.500	.187
	615-1315	TNMC-43-6P-NEW VAM-INT	.500	.187
METRIC			12.7	4.75



## 8TPI NEW VAM EXTERNAL THREAD FORMS


616-8010 (TNMA-43-8P-NEW VAM-EXT)  
 616-8015 (TNMC-43-8P-NEW VAM-EXT) - *Shown*



	Order #	Description	D	T
INCH	616-8010	TNMA-43-8P-NEW VAM-EXT	.500	.187
	616-8015	TNMC-43-8P-NEW VAM-EXT	.500	.187
METRIC			12.7	4.75

## 8TPI NEW VAM INTERNAL THREAD FORMS


615-8010 (TNMA-43-8P-NEW VAM-INT) - *Shown*  
 615-8015 (TNMC-43-8P-NEW VAM-INT)



	Order #	Description	D	T
INCH	615-8010	TNMA-43-8P-NEW VAM-INT	.500	.187
	615-8015	TNMC-43-8P-NEW VAM-INT	.500	.187
METRIC			12.7	4.75


## 5TPI VAM SLIJ II EXTERNAL THREAD FORMS

626-5060 (2T-5P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	626-5060	2T-5P-VAM SLIJ II-EXT	.789	.200	.585	2
METRIC			20.04	5.08	14.86	2

626-5070 (1T-5P-VAM SLIJ II-EXT) – FINISHER



	Order #	Description	L	T	H	Teeth
INCH	626-5070	1T-5P-VAM SLIJ II-EXT	.789	.200	.585	1
METRIC			20.04	5.08	14.86	1

636-1499 (TNMB-54FL-2T-5P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	D	T
INCH	636-1499	TNMB-54FL-2T-5P-VAM SLIJ II-EXT	.625	.250
METRIC			15.88	6.35




# 5TPI VAM SLIJ II EXTERNAL THREAD FORMS

636-1500 (TNMB-54FL-5P-VAM SLIJ II-EXT)




	Order #	Description	D	T
INCH	636-1500	TNMB-54FL-5P-VAM SLIJ II-EXT	.625	.250
METRIC			15.88	6.35

656-5120 (CNMA-64-5P-VAM SLIJ II-EXT)




	Order #	Description	D	T	Teeth
INCH	656-5120	CNMA-64-5P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-9005 (CNMA-64-2T-5P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-9005	CNMA-64-2T-5P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-9010 (CNMA-64-2T-5P-VAM SLIJ II-EXT)




	Order #	Description	D	T	Teeth
INCH	656-9010	CNMA-64-2T-5P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-9011 (CNMA-64-2T-5P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-9011	CNMA-64-2T-5P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-9012 (CNMA-64-2T-5P-VAM SLIJ II-EXT)



	Order #	Description	D	T	Teeth
INCH	656-9012	CNMA-64-2T-5P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

616-1950 (TNMC-54-5P-VAM SLIJ II-EXT)




	Order #	Description	D	T
INCH	616-1950	TNMC-54-5P-VAM SLIJ II-EXT	.625	.250
METRIC			15.88	6.35




## 5TPI VAM SLIJ II INTERNAL THREAD FORMS

615-2250 (TNMC-54-5P-VAM SLIJ II-INT)




	Order #	Description	D	T
INCH	615-2250	TNMC-54-5P-VAM SLIJ II-INT	.625	.250
METRIC			15.88	6.35

625-5060 (2T-5P-VAM SLIJ II-INT) – ROUGHER




	Order #	Description	L	T	H	Teeth
INCH	625-5060	2T-5P-VAM SLIJ II-INT	.789	.200	.585	2
METRIC			20.04	5.08	14.86	2

625-5070 (1T-5P-VAM SLIJ II-INT) – FINISHER




	Order #	Description	L	T	H	Teeth
INCH	625-5070	1T-5P-VAM SLIJ II-INT	.789	.200	.585	1
METRIC			20.04	5.08	14.86	1

655-5120 (CNMA-64-5P-VAM SLIJ II-INT)




	Order #	Description	D	T	Teeth
INCH	655-5120	CNMA-64-5P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2

655-9005 (CNMA-64-2T-5P-VAM SLIJ II-INT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	655-9005	CNMA-64-2T-5P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2

655-9040 (CNMA-64-2T-5P-VAM SLIJ II-INT)




	Order #	Description	D	T	Teeth
INCH	655-9040	CNMA-64-2T-5P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2






## 5TPI VAM SLIJ II INTERNAL THREAD FORMS

655-9041 (CNMA-64-2T-5P-VAM SLIJ II-INT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	655-9041	CNMA-64-2T-5P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2


655-9042 (CNMA-64-2T-5P-VAM SLIJ II-INT)



	Order #	Description	D	T	Teeth
INCH	655-9042	CNMA-64-2T-5P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2


## 6TPI VAM SLIJ II EXTERNAL THREAD FORMS

656-6620 (CNMA-64-2T-6P-VAM SLIJ II-EXT)




	Order #	Description	D	T	Teeth
INCH	656-6620	CNMA-64-2T-6P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-6630 (CNMA-64-2T-6P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-6630	CNMA-64-2T-6P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-6640 (CNMA-64-2T-6P-VAM SLIJ II-EXT)



	Order #	Description	D	T	Teeth
INCH	656-6640	CNMA-64-2T-6P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-6642 (CNMA-64-2T-6P-VAM SLIJ II-EXT)




	Order #	Description	D	T	Teeth
INCH	656-6642	CNMA-64-2T-6P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2




## 6TPI VAM SLIJ II INTERNAL THREAD FORMS

655-6620 (CNMA-64-6P-VAM SLIJ II-INT)  
655-6640 (CNMA-64-6P-VAM SLIJ II-INT)




	Order #	Description	D	T
INCH	655-6620	CNMA-64-6P-VAM SLIJ II-INT	.750	.250
	655-6640	CNMA-64-6P-VAM SLIJ II-INT	.750	.250
METRIC			19.05	6.35

655-6630 (CNMA-64-2T-6P-VAM SLIJ II-INT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	655-6630	CNMA-64-2T-6P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2


655-6642 (CNMA-64-2T-6P-VAM SLIJ II-INT)



	Order #	Description	D	T	Teeth
INCH	655-6642	CNMA-64-2T-6P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2


## 7TPI VAM SLIJ II EXTERNAL THREAD FORMS

656-7620 (CNMA-64-2T-7P-VAM SLIJ II-EXT)




	Order #	Description	D	T	Teeth
INCH	656-7620	CNMA-64-2T-7P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-7622 (CNMA-64-2T-7P-VAM SLIJ II-EXT)



	Order #	Description	D	T	Teeth
INCH	656-7622	CNMA-64-2T-7P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2

656-7625 (CNMA-64-2T-7P-VAM SLIJ II-EXT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	656-7625	CNMA-64-2T-7P-VAM SLIJ II-EXT	.750	.250	2
METRIC			19.05	6.35	2




# 7TPI VAM SLIJ II INTERNAL THREAD FORMS

655-7620 (CNMA-64-2T-7P-VAM SLIJ II-INT)




	Order #	Description	D	T	Teeth
INCH	655-7620	CNMA-64-2T-7P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2

655-7622 (CNMA-64-2T-7P-VAM SLIJ II-INT)



	Order #	Description	D	T	Teeth
INCH	655-7622	CNMA-64-2T-7P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2

655-7625 (CNMA-64-2T-7P-VAM SLIJ II-INT) – ROUGHER




	Order #	Description	D	T	Teeth
INCH	655-7625	CNMA-64-2T-7P-VAM SLIJ II-INT	.750	.250	2
METRIC			19.05	6.35	2




## 8TPI VAM SFC EXTERNAL THREAD FORMS

656-9050 (CNMA-64-2T-8P-VAM SFC-EXT)



	Order #	Description	D	T	Teeth
INCH	656-9050	CNMA-64-2T-8P-VAM SFC-EXT	.750	.250	2
METRIC			19.05	6.35	2


656-9065 (CNMA-64-2T-8P-VAM SFC-EXT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	656-9065	CNMA-64-2T-8P-VAM SFC-EXT	.750	.250	2
METRIC			19.05	6.35	2


## 8TPI VAM SFC INTERNAL THREAD FORMS

655-9060 (CNMA-64-2T-8P-VAM SFC-INT)



	Order #	Description	D	T	Teeth
INCH	655-9060	CNMA-64-2T-8P-VAM SFC-INT	.750	.250	2
METRIC			19.05	6.35	2

655-9065 (CNMA-64-2T-8P-VAM SFC-INT) – ROUGHER



	Order #	Description	D	T	Teeth
INCH	655-9065	CNMA-64-2T-8P-VAM SFC-INT	.750	.250	2
METRIC			19.05	6.35	2